

PCT/GB2004/004287



INVESTOR IN PEOPLE

# **PRIORITY DOCUMENT**

SUBMITTED OR TRANSMITTED IN  
COMPLIANCE WITH RULE 17.1(a) OR (b)

REC'D 03 NOV 2004	
WIPO	PCT

The Patent Office  
Concept House  
Cardiff Road  
Newport  
South Wales  
NP10 8QQ

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.



*R. Mahoney*

Signed

Dated 18 October 2004

**BEST AVAILABLE COPY**

THE PATENT OFFICE  
WM  
0 8 OCT 2003

For Official use only

RECEIVED BY FAX

08OCT03 E043091-2 010092  
P01/7700 0.00-0323549.6

Your reference **Connected Call Back (UK)**

0 8 OCT 2003

0323549.6

<b>The Patent Office</b>		<b>Request for grant of a Patent</b>	
		<b>Form 1/77</b>	<b>Patents Act 1977</b>
<b>1 Title of invention</b> A method of enabling a wireless information device to access customer support services			
<b>2. Applicant's details</b>			
<input checked="" type="checkbox"/> First or only applicant			
If applying as a corporate body: Corporate Name <b>Intuwave Limited</b>			
Country GB			
<b>2b</b> If applying as an individual or partnership Surname  Forenames			
<b>2c</b> Address Siena Court The Broadway Maldenhead Berkshire			
UK Postcode SL6 1NJ 8214546002			
Country GB			
ADP Number			

<input type="checkbox"/>	Second applicant (if any)
2d	Corporate Name
	Country
2e	Surname
	Forenames
2f	Address
	UK Postcode
	Country
	ADP Number
3	Address for service
	Agent's Name      Origin Limited
	Agent's Address      52 Muswell Hill Road London
	Agent's postcode      N10 3JR
	Agent's ADP      C03274
	Number      7270457002

0082252 08-Oct-03 05:30

**7 Inventorship**

The applicant(s) are the sole inventors/joint inventors

Yes ☐

No ☒

**8 Checklist**

Claims 2

Continuation sheets

Description 6

Abstract 0

Drawings 0

Priority Documents Yes ☒ No

Translations of Priority Documents Yes ☒ No

Patents Form 7/77 Yes ☒ No

Patents Form 9/77 Yes ☒ No

Patents Form 10/77 Yes ☒ No

**9 Request**

We request the grant of a patent on the basis of this application

Signed: *Origin Limited*  
(Origin Limited)

Date: 8 October 2003

DUPLICATE

1

## A METHOD OF ENABLING A WIRELESS INFORMATION DEVICE TO ACCESS CUSTOMER SUPPORT SERVICES

### BACKGROUND OF THE INVENTION

5

#### 1. Field of the Invention

This invention relates to a method of enabling a wireless information device to access customer support services. The term 'wireless information device' used in this patent specification should be expansively construed to cover any kind of device with two way wireless information capabilities and includes without limitation radio telephones, smart phones, communicators, personal computers, computers and application specific devices. It includes devices able to communicate in any manner over any kind of network, such as GSM or UMTS, CDMA and WCDMA mobile radio, Bluetooth, IrDA etc. A customer support service is any kind of service offered to an end-user of a wireless information device that helps the user fully or properly take advantage of a product or service that is designed to be used by the end-user. It therefore covers help systems from wireless service providers as well as any other kind of customer service function (e.g. call centres, enquiries, sales etc).

20

#### 2. Description of the Prior Art

End-users of wireless information devices frequently need to speak with customer support services; these services usually operate an automated queuing system. But it can be very inconvenient having to stay on-hold whilst your call progresses up the queue, particularly if the end-user has to hold the device up to its ear during that time.

30

For providers of customer support services (such as wireless operators, mobile commerce sites etc.) it is very important that end-users have a good customer support experience; however, that can be a challenge given the fact that end-users will often need to be placed into an automated queuing system, with the inherent danger of being placed on-hold for excessive time.

In the wired Web world, this problem is partly addressed through web call-back systems: these involve a small 'call me' icon on a web site; when a user selects this icon, a prompt

comes up, requesting that the end-user types in its name, contact number and a convenient time to call. The information is provided to a customer service operator, who makes the voice call at the designated time. Web call-backs can be useful in situations where customers would rather deal with a person rather than navigate possibly  
5 complex web pages. One problem with these systems is that end-users often cannot reliably schedule a call for later on in the day; ideally, the end-user would often like to be called back immediately by a real person, but that is rarely possible.

## SUMMARY OF THE INVENTION

The invention is a method of connecting a wireless information device operated by an end-user to a customer service computer, comprising the steps of:

- 5           (a)     opening a data connection between the device and the customer support computer;
- (b)     keeping the data connection open whilst the device progresses up a queue of an automated queuing system connected to the customer service computer;
- 10           (c)     initiating a voice call to the device when the device reaches the top of the queue so that a customer service operator can speak with the end-user.

Hence, the invention uses the data connection capability of, for example, GPRS and 3G mobile telephones, to allow the end-user to request a customer service operator to call  
15   them back (e.g. by selecting an on-screen icon, or through a menu selection). This avoids the need for the end-user to simply wait in a queuing system, which is likely to be especially appealing to GPRS and 3G users since connection charges may be significantly higher than 2G cellular costs. But, because there is a data connection open whilst the device progresses up the queue, it is possible for useful data to be transferred during this  
20   time. This data can assist the customer service operator in helping the end-user.

The data connection may remain active after the voice call has been started to enable the customer service operator to obtain data from the device of a kind that will assist the customer service operator in helping the end-user.

25   Data can also flow to the device over the data connection; this may indicate the queue position and/or likely time before a customer service operator will respond in person to the end-user by initiating the voice call. There may also be a visual indication that the data connection is open.

30   The device may be automatically queried by the computer to obtain information relevant to a request or query to be put to the customer service operator by the end-user. The information may for example include one or more of the following kinds of information:

- (a)     recent key strokes;



- (b) recent remote web or WAP sites visited by the device;
- (c) current state of the device;
- (d) end-user's name;
- (e) end-user's address;
- 5 (f) end-user's bank, credit and/or charge card details;
- (g) end-user's password;
- (h) goods and/or services recently requested or acquired by the end-user using the device;
- (i) device usage profile or data;
- 10 (k) device geographic location data;
- (l) device error logs;
- (m) Identification of all programs running on the device.

15 The device may display a user prompt requiring the end-user to consent to specifically requested kinds of information being sent to the customer service computer. The user prompt requires the end-user to satisfy an access control process before releasing the information to the computer.

**DETAILED DESCRIPTION**

5 The solution involves a software program on a mobile handset capable of some form of electronic data access, and a corresponding server which is accessible for data access to the mobile handset.

10 The server address can be chosen or provided in the mobile handset software and is in some way integrated into the customer support calling queue of some provider of products or services.

15 When a customer of some service (e.g. a customer of the mobile network itself, or a customer of any other kind of product or service) wishes to contact the relevant customer service department, rather than calling and waiting on hold for a customer service representative to become available, they use the software program on the handset to indicate their wish to be contacted by the appropriate customer service department. Alternatively the user of the handset can make a voice call into customer services, and customer service's call response centre, upon confirming their wish to initiate a customer support session, will verify that the appropriate software exists on the handset, and cause  
20 a connection to be initiated between the handset software and the customer support server.

25 In either case, the software on the handset, in conjunction with the customer services server software, through some kind of data connection, acknowledges that the user has made a request for support, and through some kind of querying process places enough information about the customer onto a queue so that the relevant customer services representative will be able to contact the user as soon as the required customer support resources become available. The querying process may involve the interactive navigation of a menu, which may provide the user with enough information or services to allow the  
30 customer to solve the problem themselves.

The now-established data connection from the customer's handset to the customer services server remains active, and allows for information such as estimated time remaining in queue to be shown to the customer. If the customer chooses to remain on

the waiting queue, a customer services representative who becomes available may have the ability to use the already established connection to query the handset and the customer for more information to solve the problem.

- 5 The customer support representative may choose to call the customer back, and the idea would be to leverage the fact that in 2.5G GSM and future mobile networks, the data connection can remain active (or suspended) during this conversation, allowing the customer support representative to further query the handset and customer for information.

10

The chief advantage of this invention is that the user has to spend less *perceived* time waiting on hold for customer service representatives, thus increasing customer satisfaction. As well, a connection between handset and customer services is established and ready when a customer services representative becomes available, which would allow

- 15 for the representative to programmatically query the phone for much needed information without requiring the customer to answer a barrage of questions.

20

**CLAIMS**

1. A method of connecting a wireless information device operated by an end-user to a customer service computer, comprising the steps of:
  - 5 (a) opening a data connection between the device and the customer support computer;
  - (b) keeping the data connection open whilst the device progresses up a queue of an automated queuing system connected to the customer service computer;
  - 10 (c) initiating a voice call to the device when the device reaches the top of the queue so that a customer service operator can speak with the end-user.
2. The method of Claim 1 comprising the step of sending data from the device to the computer prior to the voice call being initiated, the sent data assisting a customer  
15 service operator in helping the end-user.
3. The method of Claim 2, in which the data connection is opened in response to input from the end-user to an on-screen dialog, prompt or icon.
- 20 4. The method of Claim 1 in which the data connection is opened in response to a voice call from the device.
5. The method of Claim 1 in which the data connection remains active after the voice call has been started to enable the customer service operator to obtain data from  
25 the device of a kind that will assist the customer service operator in helping the end-user.
6. The method of Claim 1 in which the device receives data sent over the data connection from the computer which indicates the queue position and/or likely time before a customer service operator will respond in person to the end-user by initiating  
30 the voice call.
7. The method of Claim 1 in which the device displays a visual indication indicating that the data connection is open.

8. The method of Claim 1 in which the device is automatically queried by the computer to obtain information relevant to a request or query to be put to the customer service operator by the end-user.

5 9. The method of Claim 8 in which the information includes one or more of the following kinds of information;

- (a) recent key strokes;
- (b) recent remote web or WAP sites visited by the device;
- (c) current state of the device;
- 10 (d) end-user's name;
- (e) end-user's address;
- (f) end-user's bank, credit and/or charge card details;
- (g) end-user's password;
- (h) goods and/or services recently requested or acquired by the end-user
- 15 using the device;
- (i) device usage profile or data;
- (k) device geographic location data;
- (l) device error logs;
- (m) identification of all programs running on the device.

20

10. The method of Claim 1 in which the device displays a user prompt requiring the end-user to consent to specifically requested kinds of information being sent to the customer service computer.

25 11. The method of Claim 10 in which the user prompt requires the end-user to satisfy an access control process before releasing the information to the computer.

30

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☒ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**